





## Group Organization



004 + Bed



018 + Emergency



026 + Ward Furniture



034 • Nursing



066 + Veterinary



072 • Rehab



086 + Bath



090 • Transport



094 + Operation



**Established:**

April, 2003

**Capital:**

USD200,000.00 (only MM)

**Annual Sale Volume:**

USD4,000,000.00 (only Medical-Master)

**Factory Site:**

Chung Hwa and Dajia county, Taichung City

**Certificate:**

ISO13485, ISO 10535 (for lifter), CE, FDA register, IEC 60601-2-38, IEC 60601-2-52 (under testing)

**Manufacture Product:**


Hospital Bed (electric/ manual), ICU Bed, Emergency Stretcher, ABS Utility Cart, Stainless Steel Appliances, Bedside Locker, Dining Table, Mattress, Shower Trolley, Recline Chair, Patient lifter, OEM/ ODM project

**Trade Product:**

Delivery Bed, Connection Stretcher, Wheelchair, Walking Frame, Operation table and lamp

**Company Concept and Policy**

- Safety Design
- Durable Construction
- Good Production
- Reliable Quality
- Innovation
- Quick Delivery
- After Sale Service



# Bed

Manual bed  
Electric bed  
ICU/ CCU bed  
Scale bed  
Delivery bed  
Pediatric bed  
Baby crib  
Manual TR bed  
Psychiatric bed  
Bed accessories

*Our company reserves rights to revised the technical parameters, appearance and structure, color, etc. of the products included in this catalog without previous notice.*

## Economic bed

### MMB-001

Dimension: L1900 × W900 mm + 5%  
Fixed height: 420 mm (customize available)  
Frame: Powder coating steel  
Sleeping surface: Wooden board  
Head/ foot board: Stainless steel  
Padded feet  
K/D design  
Min order: 10 units



## 1 Function Manual Bed

### MMB-002

Dimension: L2100 × W940 mm + 5%  
Back raising: 0 ~ 80°  
Fixed height: 420 mm (customize available)  
Operation: Manual crank / gas-spring (customize available)  
Frame: Powder coating steel  
Sleeping surface: Powder coating steel  
Head/ foot board: ABS material  
3/4 length side rail  
5" high quality caster × 4



## 2 Function Manual Bed

### MMB-252

Dimension: L2100 × W940 mm + 5%  
Back raising: 0 ~ 80°  
Knee raising: 0 ~ 40°  
Fixed height: 420 mm (customize available)  
Operation: Manual crank  
Frame: Powder coating steel  
Sleeping surface: Powder coating steel  
Head/ foot board: ABS material  
3/4 length side rail  
5" high quality brake caster



## 3 Function Manual Bed

### MMB-243

Dimension: L2100 × W1000 mm + 5%  
Back raising: 0 ~ 80°  
Knee raising: 0 ~ 40°  
Adjustable height: 390 ~ 690 mm  
Operation: Manual crank  
Frame: Powder coating steel  
Sleeping surface: Powder coating steel / ABS material  
Head / foot board: ABS material  
3/4 length side rail  
5" high quality brake caster



## 3 Function Manual Bed

### MMB-253

Dimension: L2100 × W1000 mm + 5%  
Back raising: 0 ~ 80°  
Knee raising: 0 ~ 40°  
Adjustable height: 390 ~ 690 mm  
Operation: Manual crank  
Frame: Powder coating steel  
Sleeping surface: Powder coating steel / ABS material  
Head / foot board: ABS material  
3/4 length side rail  
5" high quality brake caster



## 3 Function Manual Bed

### MMB-903

Dimension: L2100 × W1000 mm + 5%  
Back raising: 0 ~ 80°  
Knee raising: 0 ~ 40°  
Adjustable height: 430 ~ 730 mm  
Operation: Manual crank  
Frame: Powder coating steel  
Sleeping surface: ABS material  
Head / foot board: ABS material  
Halt-length side rail × 4  
5" high quality brake caster



### 3 Function Electric Bed

#### MEB-243

Dimension: L2100 × W940 mm + 5%  
Back raising: 0 ~ 80°  
Knee raising: 0 ~ 40°  
Adjustable height: 390 ~ 690 mm  
Low voltage motor system  
Remote handset with 8 functions  
Frame: Powder coating steel  
Sleeping surface: Powder coating steel / ABS material  
Head/ foot board: ABS material  
3/4 length side rail  
5" high quality brake caster



### 3 Function Electric Bed

#### MEB-253

Dimension: L2100 × W940 mm + 5%  
Back raising: 0 ~ 80°  
Knee raising: 0 ~ 40°  
Adjustable height: 390 ~ 690 mm  
Low voltage motor system  
Remote handset with 8 functions  
Frame: Powder coating steel  
Sleeping surface: Powder coating steel / ABS material  
Head / foot board: ABS material  
3/4 length side rail  
5" high quality brake caster



### 3 Function Electric Bed

#### MEB-903

Dimension: L2100 × W940 mm + 5%  
Back raising: 0 ~ 80°  
Knee raising: 0 ~ 40°  
Adjustable height: 430 ~ 730 mm  
Low voltage motor system  
Embed control unit x 4 (inner × 2, outer × 2)  
Nursing control panel (ACP-01) × 1  
Frame: Powder coating steel  
Sleeping surface: ABS material  
Anti-decubitus device (auto-regression: 14 cm)  
Head/ foot board: ABS material  
Half length side rail × 4  
5" high quality brake caster



## 3 Functions Electric & Manual Bed

### MEB-243M

Dimension: L2100 × W940 mm + 5%  
Back raising: 0 ~ 80°  
Knee raising: 0 ~ 40°  
Adjustable height: 390 ~ 690 mm  
Low voltage motor system (battery options)  
Remote handset with 8 functions  
Frame: Powder coating steel  
Sleeping surface: Powder coating steel / ABS material  
Head/ foot board: ABS material  
3/4 length side rail  
5" high quality brake caster  
Powder failure could operate by manual crank  
Min order: 25 units



## 3 Functions Electric & Manual Bed

### MEB-903M

Dimension: L2100 × W940 mm + 5%  
Back raising: 0 ~ 80°  
Knee raising: 0 ~ 40°  
Adjustable height: 430 ~ 730 mm  
Low voltage motor system (battery options)  
Embed control unit x 4 (inner × 2, outer × 2)  
Nursing control panel (ACP-01) × 1  
Frame: Powder coating steel  
Sleeping surface: ABS material  
Head/ foot board: ABS material  
Half length side rail × 4  
5" high quality brake caster  
Powder failure could operate by manual crank  
Min order: 25 units



## 5 Functions Electric Bed

### MEB-254

Dimension: L2100 × W1000 mm + 5%  
Back raising: 0 ~ 80°  
Knee raising: 0 ~ 40°  
Adjustable height: 430 ~ 730 mm  
Trendelenburg and rev. trendelenburg: -12 ~ 12  
Low voltage motor system  
10 functions handset  
Build-in ACP Panel (option, as photo)  
Surround with bumper: 4 individual motor battery back-up  
Frame: Powder coating steel  
Sleeping surface: ABS material  
Detachable Head / foot board: 3 different types (HFB-04, 05, 06)  
3/4 length side rail  
5" high quality brake caster



Build-in ACP



TREND & REVERSE TREND



HFB-04



HFB-05



HFB-06  
(Rotate bumper available)



## 5 Functions Electric Bed

### MEB-904

Dimension: L2100 × W940 mm + 5%  
Back raising: 0 ~ 80°  
Knee raising: 0 ~ 40°  
Adjustable height: 430 ~ 730 mm  
Trendelenburg and rev. trendelenburg: -14 ~ 14  
Low voltage motor system with battery (acid-lead)  
Embed control unit × 4 (inner × 2, outer × 2)  
Nursing control panel (ACP-02) × 1  
Frame: Powder coating steel  
Sleeping surface: ABS material  
Anti-decubitus device (auto-regression: 14 cm)  
Detachable Head / foot board: 2 different types (HFB-04, 06)  
Half length side rail × 4  
5" high quality brake caster



Auto-Regression



TREND & REVERSE TREND



HFB-04



HFB-06  
(Rotate bumper available)



# Column Bed

## MEB-904C

Dimension: L2100 × W940 mm + 5%  
 Back raising: 0 ~ 80°  
 Knee raising: 0 ~ 40°  
 Adjustable height: 450 ~ 750 mm  
 Trendelenburg and rev. trendelenburg: -12 ~ 12  
 Low voltage motor system with battery

- Column × 2
- Actuator × 2
- Chip control system

Embed control unit × 4 (inner × 2, outer × 2)  
 Nursing control panel (ACP-03) × 1  
 Foot pedal control × 2 (right x 1, left × 1)

Safety cover on foot pedal  
 Frame: Powder coating steel  
 Sleeping surface: ABS material  
 Anti-decubitus device (auto-regression: 14 cm)  
 Detachable Head/ foot board: 2 different types (HFB-04, 06)  
 Half length side rail × 4  
 ABS chassis cover  
 Central locking and steering system

- 150 mm total brake caster
- 125 mm 5th wheel

Storage rack in the foot side  
 Urinal hook × 4 on long side



Build-in ACP




TREND & REVERSE TREND



HFB-04



HFB-06  
(Rotate bumper available)



Removable ACP

## Optional Accessories For Bed (Not All Models available for options)

### MBA-01

Manual CPR (Dual side of back section)



### MBA-02

Telescopic dining table  
(adjustable for different width)



### MBA-03

Telescopic IV pole  
(4 hooks and adjustable)



### MBA-04

Handset




### MBA-05

Embed control unit



### MBA-06

ACP control panel



### MBA-07

5" Dust sheet casters



### MBA-08

5" / 6" Central locking system  
(steering available)



### MBA-09

Lifting pole (Monkey pole)



### MBA-10

Night light  
(Upgrade control box)



### MBA-11

Night vision handset



## Option

### MBA-12

X-ray cassette for backrest  
(available for MEB-904, 904C only)



### MBA-13

Weight scale



### MBA-14

Euro bar  
(syringe pump)




### MBA-15

Instrument tray




### MBA-16

Calf ratchet (10 steps)



### MBA-17

Balkan frame  
(min order: 10 sets)



### MBA-18

Patient file holder  
(ABS material)



### MBA-19

Bed extension  
(2 steps: 11 and 18 cm)



### MBA-20

Angle indicator  
(TR and RTR only)



### MBA-21

Euro 3/4 length side rail  
(fulfill IEC 60601-2-52 gap request)



### MBA-22

Euro 1/2 length side rail  
(fulfill IEC 60601-2-52 gap request)  
• Will Launch On 2012



## Delivery Bed

### MDB-900

- Dimension: L2200 × W950 mm + 5%  
Adjustable height: 580 ~ 980 mm  
Back raising: -10 ~ 60°  
Motor control back rest and knee rest  
Low voltage motor system with foot pedal control  
Frame: Powder coating steel  
Adjustable side rail for different position  
Retractable foot rest for different inspection  
Sleeping surface: High density PU foam with artificial leather  
Detachable head board can be bed extension (for examination)  
Removable arm rest can be adjustable to any position  
5" high quality brake caster
- Accessories:
- IV pole
  - Neck pillow
  - Stainless steel basin



## Pediatric Bed

### MPB-201

- Dimension:
- L200 × W82 × H130 cm
  - M L160 × W82 × H130 cm
  - S L120 × W82 × H130 cm
- Back raising: 0 ~ 80° by manual crank/ ratchet  
Material: Stainless steel  
Full length rail with 3 steps adjustment  
2 sections steel platform  
4" brake caster
- Accessories:
- Mattress
  - 2 section IV pole
- Option: Powder coating steel



## Pediatric Bed

### MPB-202

- Dimension:
- L200 × W82 × H130 cm
  - M L160 × W82 × H130 cm
  - S L120 × W82 × H130 cm
- Back raising: 0 ~ 80° by manual crank / ratchet  
Knee raising: 0 ~ 40° by manual crank / ratchet  
Material: Stainless steel  
Full length rail with 3 steps adjustment  
4" brake caster  
3/4 sections steel platform
- Accessories:
- Mattress
  - 2 section IV pole
- Option: Powder coating steel



## Manual Trendelenbug Bed

### MTB-100

Dimension: L2100 × W1000 mm + 5%  
Adjustable height: 450~740 mm  
Back raising: 0 ~ 60°  
Knee raising: 0 ~ 35°  
Trendelenbug and reverse trend: -12 ~ 12°  
Frame: Powder coating steel  
Sleeping surface: 4 sections, ABS  
Head / foot board: Steel pipe with wooden board  
3/4 length side rail  
5" high quality caster × 4 (2 with brake)  
Min order: 10 units



## Manual Trendelenbug Bed

### MTB-200

Dimension: L2100 × W1000 mm + 5%  
Adjustable height: 430 ~ 630 mm  
Back raising: 0 ~ 80°  
Knee raising: 0 ~ 45°  
Trendelenbug and reverse trend: -22 ~ 22°  
Frame: Powder coating steel  
Sleeping surface: 3 sections, wire-mesh  
Head / foot board: Steel pipe with wooden board  
3/4 length side rail  
5" high quality central locking system  
Min order: 10 units



## Manual Trendelenbug Bed

### MMB-904

Dimension: L2100 × W1000 mm + 5%  
Adjustable height: 490 ~ 690 mm  
Back raising: 0 ~ 65°  
Knee raising: 0 ~ 40°  
Trendelenbug and reverse trend: -12 ~ 12°  
Frame: Powder coating steel  
Sleeping surface: 4 sections, ABS  
Head/ foot board: ABS  
Half-length side rail  
5" high quality caster  
Min order: 10 units



## Pediatric ICU Bed (Customization available)

### MET-6600P

Dimension: L176 × W95 cm  
Back raising: 0 ~ 65° by ratchet (10 steps)  
Knee raising: 0 ~ 65° by ratchet (10 steps)  
Adjustable height: 740 ~ 940 mm  
Trendelenburg and rev. trendelenburg: -9 ~ 9°  
3 sections platform; ABS material  
Durable hydraulic column for foot pedal adjustable  
6" Central locking system  
5th steering caster

Anti-crush bumper  
Full length stepless side rail  
Side rail dimension: W142 × H68.5 cm  
Full length stepless head & foot board  
FRP base with oxygen holder and compartment  
Accessories:  
• Mattress with PU foam × 1 unit  
• IV pole with storage × 2 sets  
• Oxygen holder × 1 unit



## Baby Crib

### MBD-100

Dimension: L72 × W38 × H75 cm  
Tilt available by adjust baby bassinet  
Material: Stainless steel 304  
• SS plate: 0.7 mm  
• SS tube: Ø22mm × 1.2 mm  
2" caster x 4 units  
Mattress: L57 × W27 × H2.5 cm



## Baby Crib

### MBD-200

Dimension: L72 × W38 × H75 cm  
Tilt available by adjust baby bassinet  
Bottom layer surround with 5cm guardrail  
Drawer size: H16 × W31.5 × D50 cm  
Material: Stainless steel 304  
• SS plate: 0.7 mm  
• SS tube: Ø22mm × 1.2 mm  
2" caster x 4 units  
Mattress: L57 × W27 × H2.5 cm



## Baby Crib

### MBD-300

Dimension: L68 × W44 × H87 cm  
Top layer surround 5cm  
Bottom layer surround 15cm  
Various tilt angle available by knob  
Bottom layer surround with 15cm guardrail  
Material: Stainless steel 304  
• SS plate: 0.8 mm  
• SS tube: Ø25mm × 1.2 mm  
4" caster × 4 units (2 brake)  
Mattress: L57 × W27 × H2.5 cm



## Baby Crib

### MBD-400

Dimension: L72 × W40 × H80 cm  
Various tilt angle available by knob  
Wire-mesh basket (Stainless steel)  
Powder coating type (color change available)  
Material: Powder coating steel  
• Steel tube: Ø22mm × 1.2 mm  
4" caster × 4 units (2 with brake)  
Mattress: L57 × W27 × H2.5 cm







# Emergency

Trauma stretcher  
Transport stretcher  
X-ray cassette stretcher  
Manual stretcher  
Handbarrow  
Ambulance stretcher  
Stair stretcher  
Sliding board

*Our company reserves rights to revised the technical parameters, appearance and structure, color, etc. of the products included in this catalog without previous notice.*

# Hydraulic Stretcher

## MET-6600 I/II

- Dimension: L2130 × W800 mm  
Back raising: 0 ~ 80° by gas-spring  
Knee raising: 0 ~ 35° by manual crank (MET-6600II)  
Calf adjustment: 10 steps by ratchet (MET-6600II)  
Adjustable height: 560 ~ 910 mm  
Trendelenburg and rev. trendelenburg: -18 ~ 18°  
3/4 length side rail with 6 pillar  
Platform: ABS material
- 2 sections (MET-6600I)
  - 4 sections (MET-6600II)
- Durable hydraulic column by foot operation  
Central locking and steering caster
- 8" total brake caster
  - 5th steering caster
  - 360° operation (4 foot pedal)
- Anti-crush bumper
- Surround on long side
  - Wheel bumper on corners

### Push handle

- Front side: Foldable bar
- Rear side: Fixed bar

### ABS chassis with oxygen holder and store compartment

#### Accessories:

- Mattress with PU foam × 1 unit
- IV pole with storage × 2 sets
- Urinal holder × 2 units

#### Options: (for MET-6600 only)

- MT-01 Instrument tray
- MT-02 Foot board with file holder (replace push bar)
- MT-03 Telescopic dining table
- MT-04 Body strap (3 pieces / set)
- MT-05 Vertical oxygen holder
- MT-06 Detachable IV pole



# Hydraulic Radio Stretcher

## MET-6600R I/II

Dimension: L2130 × W800 mm

Back raising: 0 ~ 80° by gas-spring

Knee raising: 0~ 35° by manual crank (MET-6600RII)

Calf adjustment: 10 steps by ratchet (MET-6600RII)

Adjustable height: 580 ~ 930 mm

Trendelenburg and rev. trendelenburg: -18 ~ 18°

Conceal 3/4 length side rail with 6 pillar and 2

operation steps:

- 1st step (full height): Use for transport and offer complete protection
- 2nd step (50% height): Use for therapy and prevent patient's falling down

Platform: Bakelite

• 2 sections (MET-6600RI)

• 4 sections (MET-6600RII)

Durable hydraulic column by foot operation

Central locking and steering caster

• 8" total brake caster

• 5th steering caster

• 360° operation (4 foot pedal)

Anti-crush bumper

• Wheel bumper on corners

Push handle

• Front side: Foldable bar

• Rear side: Fixed bar

ABS chassis with oxygen holder and store compartment

X-ray cassette system

• Handle operation (on both sides)

• Track system with film holder

• Location indicator

Accessories:

• Mattress with PU foam × 1 unit

• IV pole with storage × 2 sets

• Urinal holder × 2 units

Options: (for MET-6600 only)

MT-01 Instrument tray

MT-02 Foot board with file holder (replace push bar)

MT-03 Telescopic dining table

MT-04 Body strap (3 pieces/ set)

MT-05 Vertical oxygen holder

MT-06 Detachable IV pole



## Straight Transport Stretcher

### MET-6600C

Stretcher dimension: L2090 × W820 mm  
Connection dimension: L3650 × W820 mm  
Material: Powder coating steel and aluminum  
Sleeping surface: ABS material  
Back raising: 0 ~ 60° by gas-spring assistance  
Height adjustment: 645 ~ 920 mm  
Height adjustable by manual crank  
6" high quality central locking system  
5th wheel for steering  
2 pieces tuck-away side rail with gas-spring assistance

Accessories:

- IV pole x 1 unit
- Transport mattress with PU foam x 1 unit



## Lateral Transport Stretcher

### MET-6600S

Stretcher dimension: L2090 × W820 mm  
Connection dimension: L3650 × W820 mm  
Material: Powder coating steel and aluminum  
Slide board as soft as comfortable, light and safety.  
Lateral transport by manual crank  
Height adjustment: 645 ~ 920 mm  
Height adjustable by manual crank  
6" high quality central locking system  
5th wheel for steering  
Paginal side rail with fewer gaps between bed and bed or stretcher.

Table side surround with anti-crush bumper

Accessories:

- IV pole × 1 unit



## Mortuary Trolley

### MET-1000

Dimension: L1900 × W550 × H770 mm  
Dimension of side rail: L1900 × H450 mm  
Side rail: Ø17 mm SS tube  
Compartment tray: L1100 × W500 mm  
8" caster (2 brake)  
Material: Stainless steel  
Custom size available



## Manual Stretcher

### MET-3100

- Dimension: L1900 × W750 mm  
Material: Stainless steel  
Back raising: 0 ~ 65°  
Bed operation: Hand lever  
Fixed height: 640 mm (customization available)  
Surround with anti-crash bumper  
3/4 lengths side rail  
6" high quality caster (3 brake and 1 directional)  
Accessories:
- IV pole × 2 units
  - Mattress × 1 unit
  - Store compartment
  - Oxygen holder



## Manual Stretcher

### MET-3200

- Dimension: L1900 × W750 mm  
Material: Stainless steel  
Back raising: 0 ~ 80°  
Knee raising: 0 ~ 40°  
Bed operation: Manual crank  
Fixed height: 640 mm (customization available)  
Surround with anti-crash bumper  
3/4 lengths side rail  
6" high quality caster (3 brake and 1 directional)  
Accessories:
- IV pole × 2 units
  - Mattress × 1 unit
  - Store compartment
  - Oxygen holder



## Manual Stretcher

### MET-3300

- Dimension: L1900 × W750 mm  
Material: Stainless steel  
Back raising: 0 ~ 80°  
Knee raising: 0 ~ 40°  
Adjustable height: 520 ~ 750 mm  
Bed operation: Manual crank  
Surround with anti-crash bumper  
3/4 lengths side rail  
6" high quality caster (3 brake and 1 directional)  
Accessories:
- IV pole × 2 units
  - Mattress × 1 unit
  - Store compartment
  - Oxygen holder



## Manual Stretcher Options

### MTA-01

Push bar



### MTA-02

Paper roll holder



### MTA-03

Central locking and steering system



### MTA-04

Vertical oxygen holder



### MTA-05

Instrument table



## Economic Stretcher

### MET-3000

Dimension: L1800 × W550 mm

Material: Stainless steel

Fixed height: 700 mm

Detachable platform

5" high quality caster (2 brake)

Accessories:

- IV pole × 1 unit
- Mattress × 1 unit
- Store compartment



## Handbarrow (steel)

### ME-01

Dimension of canvas: L1820 × W590 mm  
Allover dimension: L2300 × H140 mm  
Ø38 × 1.2 mm  
Wooden shaft  
With 2 safety strap  
Loading capacity: 120 kg



## Handbarrow (stainless steel)

### ME-02

Dimension of canvas: L1820 × W520 mm  
Allover dimension: L2140/ 1070 × H140 mm  
Folding type  
Ø25 × 1.5 mm  
Steel shaft with anti-slip plastic cover  
With 2 safety strap  
Loading capacity: 120 kg



## Handbarrow (aluminum)

### ME-03

Allover dimension: L2060 / 1030 × W520 / 180 × H140 / 100 mm  
Folding type  
Aluminum shaft with anti-slip plastic cover  
With 2 safety strap  
Loading capacity: 120 kg



## Handbarrow

### ME-04

Allover dimension: L1820 × W490 × H100 mm  
Frame: Ø22 mm SS tube  
Detachable type  
Glass fiber platform × 6 pieces  
X-ray penetrate  
Loading capacity: 120 kg





## Handbarrow

### ME-05

Allover dimension: L1830 × W450 × H40 mm  
 Material: High density plastic material  
 X-ray penetrate  
 Loading capacity: 120 kg



## Sliding Board

### ME-06

Dimension: L1500 × W500 × T20 mm + 3%  
 Material: Polythene with light weight feature  
 Folding type  
 Cover: Special PVC material with anti-static feature  
 One person operate available  
 Transport the patient from bed to bed, stretcher and table



## Stair Stretcher

### ME-07

Fold dimension: L850 × W450 × H250 mm  
 Loading capacity: 120 kg  
 Material: Stainless steel  
 N.W: 10 kg



## Ambulance Stretcher

### ME-08

Unfold dimension: L1900 × W550 × H500 mm  
 Fold dimension: L1900 × W600 × H260 mm  
 Max back adjustable angle: 60  
 Loading capacity: 150 kg  
 Material: Aluminum  
 N.W: 37 kg







# Ward Furniture

Bedside locker  
Dining table  
Recline chair  
Mattress  
Pillow  
Bed exit alarm

*Our company reserves rights to revised the technical parameters, appearance and structure, color, etc. of the products included in this catalog without previous notice.*



## Bedside Cabinet

### MBC-101

Size: L460 × W470 × H930 mm  
Frame: ABS material  
Drawer / door / plate: ABS material  
Top: ABS molding  
Towel holder × 2 units  
Shoe storage  
4 units Ø1.5 Caster (2 brake)  
Color: Pink, blue, beige, brown



## Bedside Cabinet

### MBC-102A/B

Size: L460 × W470 × H800 / 930 mm  
Frame: Plastic material (honey comb)  
Drawer / door / plate: Plastic material  
Top: ABS molding  
Surface: Laminate board  
Towel holder × 2 units  
Shoe storage available for B type  
2 units Ø 1.5 caster and 2 feet  
Custom design available



## Bedside Cabinet

### MBC-103A/B

Size: L460 × W470 × H760/ 930 mm  
Frame: Powder coating steel  
Drawer / door / plate: Steel  
Top: ABS molding  
Towel holder × 2 units  
Shoe storage available for B type  
4 units Ø1.5 Caster (2 brake)  
Custom color available (>100 units)



## Bedside Cabinet

### MBC-104

Size: L500 × W500 × H700 mm  
Frame: Powder coating steel  
Drawer / door / plate: Steel  
Top: ABS molding  
Towel holder × 2 units  
4 units Ø1.5 Caster





## Dining Table

### MWA-200

Table size: L765 × W385 mm  
 Adjustable height: 720 ~ 1120 mm  
 Frame: Powder coating / Electroplate with H shape base  
 Mechanical system for height adjustable  
 Table top: Wooden laminate with higher rim  
 K/D design

Options:

- MWA-200-1 Wear-resist cover (MOQ request)
- MWA-200-2 Tilt table top
- MWA-200-3 2 sections table
- MWA-200-4 Drawer



### MWA-200A

Table size: L900 × W400 mm  
 Adjustable height: 625 ~ 925 mm  
 Base: Plastic material  
 Gas-spring system for height adjustable  
 Table top: Wooden laminate with higher rim  
 K/D design

Options:

- MWA-200A-1 Plastic cover
- MWA-200A-2 Higher table (MOQ request)



## Recline Chair

### MWA-300

Chair size: L800 × W600 × H950 mm  
 Bed size: L1850 × W600 × H700 mm  
 Frame: Stainless steel / powder coating steel  
 Artificial leather with PU foam



## Home Care Chair

### MWA-400

Dimension: H1200 × W770 × D960 cm  
 Adjustable back rest and foot rest  
 Ideal for use in dialysis, blood collection, respiratory and cardiac care  
 Side panels "Pop-off" for easy cleaning and maintenance  
 5" Casters (2 with locks) make it easy to move and secure recliner  
 Loading capacity: 250 lbs



## Recline Chair

### MWA-500

Chair size: L750 × W690 × H1050 mm  
 Bed size: L1950 × W690 × H450 mm  
 Frame: Powder coating steel (silver or white)  
 Artificial leather with PU foam

Foldable arm rest  
 Safety handle for extend function  
 2" direction wheel × 4  
 3" brake caster × 2





## Mattress Cover

### YL-104

**Dimension:** L1920 × W870 × H100 mm  
(customization available)

**Material:** Polyester strings with polyurethane coating

**Junction:** Sewing with 1/4 length zipper

**Feature:**

- Water resistance (under limited pressure)
- Anti-fungus & Anti-bacterial (options)
- Fire-retardant (options)



## Mattress Cover

### YL-105

**Dimension:** L1920 × W870 × H100 mm  
(customization available)

**Material:** Fabric with single PU film

**Junction:** Sewing with 1/4 length zipper

**Feature:**

- Water resistance (under limited pressure)
- Anti-fungus & Anti-bacterial (options)
- Fire-retardant (options)



## Mattress Cover

### YL-114

**Dimension:** L1920 × W870 × H120 mm  
(customization available with MOQ request)

**Material:**

- Top cover: Fabric with single PU film (BS5852)
- Surround cover: Fabric with double PU film (BS5852)
- Bottom: Nylon fabric (YL-104)

**Junction:** Seamless with 3/4 length zipper

**Feature:**

- Anti-fungus & Anti-bacterial
- Water resistance
- Fire-retardant



## Mattress Cover

### YL-115

**Dimension:** L1920 × W870 × H120 mm  
(customization available with MOQ request)

**Material:**

- Top cover: Fabric with single PU film (BS5852)

**Junction:** Seamless with 3/4 length zipper

**Feature:**

- Anti-fungus & Anti-bacterial
- Water resistance
- Fire-retardant




Cover	Waterproof ability	Water vapor permeability
Polyester Cover (YL-104)	1000mm H <sup>2</sup> O	4000g / m <sup>2</sup> / 24hr
PU Cover (YL-105)	8000mm H <sup>2</sup> O	3000g / m <sup>2</sup> / 24hr
Seamless Cover (YL-114)	25000mm H <sup>2</sup> O	400g / m <sup>2</sup> / 24hr
Seamless Cover (YL-115)	25000mm H <sup>2</sup> O	400g / m <sup>2</sup> / 24hr



## Mattress Core

### MC-01


Up: High density foam with egg shape  
Bottom: Remixed foam  
Density: 30 kg / m<sup>3</sup> + 5(custom available)  
Pressure reduce (class I)



## Mattress Core

### MC-02

High density foam with egg shape  
Density: 30 kg / m<sup>3</sup> + 5 (custom available)  
Pressure reduce (class II)



## Mattress Core

### MC-03


High density foam with special cutting (custom available)  
• D-3066 • D-3068 • D-3077 • D-3088 • D-3099  
Density: 30 kg / m<sup>3</sup> + 5 (custom available)  
Pressure reduce (class II ~ III)  
Customization cutting available (MOQ request)



## Mattress Core

### MC-04

Up: Bayer Inertial foam (3cm)  
Bottom: High density PU foam (9cm)  
Density:  
• Top Bayer foam: 60 kg / m<sup>3</sup> + 5  
• Bottom PU foam: 30 kg / m<sup>3</sup> + 5 (custom available)  
Pressure reduce (class III)



#### Mattress Cleaning:

Depending on the usage and how much the patient sweat, Remove the mattress and place it in an outside area where it can be dried by the sun. The inside of mattress will dry. This should be done every two to four weeks.



**CAUTION** • Never Clean The Mattress Using An Ozone Sterilizer or autoclave



## Special Foam Shape


D-3066




D-3068



D-3077



D-3088



D-3099



八萬次反覆壓縮  
永久變形率測試



德國WKI材料分析  
及室內化學實驗室



manufactured by  
TRA  
具抗菌功能



無彈簧設計




符合美國加州規範

## Pillow


### MP-01

Material: Inertial foam  
Covers sell separately



### MP-02


Material: Latex  
Covers sell separately



## Bed Sheet

### MSC-100

Dimension: 145 × 80 cm  
(custom available with MOQ)  
35% cotton and 65% polyester  
100°C dry available; Washer available  
Color options



## Pillow Sheet

### MSC-200


Dimension: 75 × 45 cm  
(custom available with MOQ)  
35% cotton and 65% polyester  
Color options



## Blanket

### MSC-300

Dimension: 145 × 80 cm  
(custom available with MOQ)  
35% cotton and 65% polyester



## Middle Sheet

### MSC-400

Dimension: 90 × 70 cm/ 70 × 45 cm  
Top: CVC  
Middle: Cotton  
Bottom: Talson waterproof material




## Design of Turnkey Project

### Hospital and Nursing Home

According to your various request, Medical-Master could offer you modern design on ward, drug store, nursing station, office...etc.  
Please kindly contact with Medical-Master staff or our local agent for details.







# Nursing

ABS multi function cart  
E cart  
Crash cart  
Anesthesia cart  
Medication cart  
File cart  
Nursing cart  
Examination couch  
Stool  
Foot stepper  
Ward screen  
IV pole  
Food cart  
Instrument cabinet  
Utility cart  
Linen cart  
Narcotic locker  
Wiremesh cart  
Shelf

*Our company reserves rights to revised the technical parameters, appearance and structure, color, etc. of the products included in this catalog without previous notice.*

## ABS Anesthetic Cart

### MCC-8100

Overall dimension: L630 × W590 × H1010 mm

Table dimension: L570 × W540 mm

Construction: Steel material with plastic cover

Drawer:

- Ball bearing with auto-lock switch
- With name card holder
- 6" drawer × 3
- 9" drawer × 1

Combination lock with master key for emergency

5" caster with dust sheet (2 with brake)

Adjustable drawer divider

Build-in push bar

Telescopic writing table

Color available: Orange, white, blue and light blue

Accessories: See option list



## ABS Emergency Cart

### MCC-8200

Overall dimension: L630 × W590 × H1010 mm

Table dimension: L570 × W540 mm

Construction: Steel material with plastic cover

Drawer:

- Ball bearing with auto-lock switch
- With name card holder
- 3" drawer × 2
- 6" drawer × 2
- 9" drawer × 1

Combination lock with master key for emergency

5" caster with dust sheet (2 with brake)

Adjustable drawer divider

Build-in push bar

Telescopic writing table

Color available: Orange, white, blue and light blue

Accessories: See option list



## ABS Nursing Cart

### MWC-3100

Overall dimension: L630 × W590 × H1010 mm

Table dimension: L570 × W540 mm

Construction: Steel material with plastic cover

Drawer:

- Ball bearing with auto-lock switch
- With name card holder
- 3" drawer × 1
- 6" drawer × 1

Medication box × 2 (16 units bin)

5" caster with dust sheet (2 with brake)

Adjustable drawer divider

Build-in push bar

Telescopic writing table

Color available: Orange, white, blue and light blue

Accessories: See option list





## ABS Nursing Cart

### MWC-3200

Overall dimension: L630 × W590 × H1010 mm

Table dimension: L570 × W540 mm

Construction: Steel material with plastic cover

Drawer:

- Ball bearing with auto-lock switch
- With name card holder
- 3" drawer × 2
- 6" drawer × 1
- Retractable shelf × 1

5" caster with dust sheet (2 with brake)

Adjustable drawer divider

Build-in push bar

Telescopic writing table

Color available: Orange, green, pink, blue and light blue

Accessories: See option list



## ABS Medication Cart

### MMC-9100

Overall dimension: L700 × W600 × H1010 mm

Table dimension: L630 × W540 mm

Construction: Steel material with plastic cover

Drawer:

- Ball bearing with auto-lock switch
- With name card holder
- 9" drawer × 1
- Medication box × 6 (48 units bin)

5" caster with dust sheet (2 with brake)

Adjustable bin divider

Build-in push bar

Telescopic writing table

Bin size: Big (10.5 cm); Small (7.5 cm)

Different bin number available: 48, 60, 64, 72, 96

Accessories: See option list

[64 & 96 bins will not have bottom drawer]



## ABS File Cart

### MFC-7100

Overall dimension: L630 × W590 × H1010 mm

Table dimension: L570 × W540 mm

Construction: Steel material with plastic cover

Drawer:

- Ball bearing with auto-lock switch
- With name card holder
- 3" drawer × 1
- File holder × 40 (20 units / side)

5" caster with dust sheet (2 with brake)

Build-in push bar

Telescopic writing table

Color available: Orange, white, blue and light blue


Accessories: See option list



## Customize Cart Service

According to different hospital request and using habits, we could make the cart by customization, like [Isolation Cart](#), [Treatment Cart](#), [Bedside Cart](#). You could forward your request to our local dealer and we could issue the sketch and possible solution.

Customization ABS cart will has several restrictions, like dimension (the ABS top is molding and there are 6 different sizes now), color and min order. For more details, please kindly check with our local dealers.



## Option Sheet

	Description / Model	MCC-8100	MCC-8200	MWC-3100	MWC-3200	MMC-9100	MFC-7100
CA-001	Revolving arm	△	△	△	△	X	X
CA-002	CPR board	○	○	X	X	X	X
CA-003	Combination lock	○	○	X	▲	X	X
CA-004	Side cabinet	△	△	△	△	△	△
CA-005	Catheter holder	△	△	△	△	△	△
CA-006	Divider set	○	○	○	○	○	X
CA-007	Accessories rail (ABS)	△	△	△	△	△	△
CA-008	Trash bin	△	△	△	△	△	△
CA-009	IV pole (2 hooks)	△	△	△	△	△	△
CA-010	Sliding door (with lock)	▲	▲	▲	▲	○	▲
CA-011	Medication box (with bins)	▲	▲	○	▲	○	X
CA-012	High bridge	△	△	△	△	X	X
CA-013	Low bridge	△	△	△	△	X	X
CA-014	Oxygen holder	△	△	△	△	○	○
CA-015	Power outlet (3 outlet)	▲	▲	▲	▲	X	X
CA-016	File keeper	△	△	△	△	△	△
CA-017	Side storage basket	△	△	△	△	△	△
CA-018	File keeper holder	△	△	△	△	△	△
CA-019	Individual medication bin	▲	▲	▲	▲	▲	X
CA-020	Tilt bin	▲	▲	▲	▲	▲	▲
CA-021	Power outlet (with UPS)	▲	▲	▲	▲	X	X
CA-022	Ampoule opener	▲	▲	▲	▲	▲	▲
CA-023	Needle collection box	▲	▲	▲	▲	▲	▲
CA-024	Disposable lock device	▲	▲	X	▲	X	X
CA-025	Monitor holder (swivel base + 1 arm)	▲	▲	▲	▲	▲	▲
CA-026	Monitor holder (swivel base + 2 arms)	▲	▲	▲	▲	▲	▲
CA-027	Monitor holder (swivel base)	▲	▲	▲	▲	▲	▲

○: Standard △: Option available ▲: Option available, but the cart need to modification X: Unavailable



## Revolving Stand

CA-001

360° revolving range  
10 kg max loading capacity  
L365 × W275 × H25 mm  
Purpose: Install medical instrument and defibrillator



## CPR Board

CA-002

PU foam (durable and beautiful)  
50 kg min loading capacity  
Purpose: For cardiopulmonary resuscitation (CPR)



## Combination Lock

CA-003

Steel material (durable and beautiful)  
Master key lock × 1 & Combination lock × 1 unit  
Purpose: Control drug and precision instrument



## Side Cabinet / Catheter Box

CA-004

Side cabinet × 2unit & 1 top store compartment  
Purpose: Store compartment



CA-005

ABS material  
Single / Double / Four units  
Purpose: Store catheter





## Adjustable Drawer Divider Set

CA-006

ABS material  
Purpose: Management drawer store



## Accessories Rail

CA-007

ABS material  
10 kg max loading capacity  
Purpose: Hang on fittings (with suitable hooks)



## Trash Bin

CA-008

Plastic material  
Purpose: Garbage management



## IV Pole

CA-009

Stainless Steel material  
IV pole with 2 hooks  
Purpose: Intravenous drip holder



## Sliding Door

CA-010

Steel material

Purpose: Total lock for drawer and bin



## Medication Box

CA-011

Plastic material

3 size: 10.5 / 7.5 / 5 cm bin

Purpose: Storage and manage bin



## High Bridge

CA-012

Steel material

Purpose: Hang on fitting and store compartment



## Low Bridge

CA-013

Steel material

Purpose: Hang on fitting and store compartment





## Oxygen Holder

CA-014

Steel material  
Purpose: Storage oxygen cylinder



## Power Outlet

CA-015

110V / 220V  
Purpose: Offer power outlet for different instrument



## File Keeper

CA-016

ABS material  
Purpose: File holder



## Side Storage Basket

CA-017

ABS material  
Purpose: Store



## File Keeper Holder

CA-018

Plastic material  
Purpose: Store patient record



## Individual Medication Bin

CA-019

Plastic material  
Purpose: Store medication  
Only available without medication box  
Color option: Blue, Light blue, Green, Orange



## Tilt Bin

CA-020

Plastic material (transparent)  
Purpose: Store medication  
Only available with high bridge



## Power Outlet With UPS

CA-021

110V / 220V  
Purpose: For electric instrument or PC failure





## Ampoule Opener

CA-022

Steel material  
Purpose: Ampoule open  
Only available with suitable socket



## Needle Collection Box

CA-023

ABS material  
Purpose: Needle control box  
Disposable



## Disposable Lock Device

CA-024

Steel material  
Purpose: Control the cart usage situation  
Lock sell separately (Min order: 1000 pieces)



## Monitor Holder

CA-025/026/027

Steel material  
Monitor holder  
Purpose: Set up notebook or monitor



*Customization cart and accessories design*

## Economic Operation Table

### MS-01

L1640 × W510 × H830 mm  
Artificial leather cover with PU foam  
Stainless steel material  
With pillow and footrest  
Back and foot sections are adjustable  
Min order: 5 units



## Hand Carry Gyn. Examination Couch

### MS-02

L1200 × W650 × H750 mm  
Artificial leather cover with PU foam  
Stainless steel  
4" caster (2 with brake)  
With pillow, footrest and screen  
Knock down design



## Examination Couch

### MS-03 A/B

L1800 × W600 × H700 mm  
Artificial leather cover with PU foam  
Knock down design  
Stainless steel  
• SS tube: Ø50 mm × 1.2 mm  
• SS plate: 30 × 60 × 1.5 mm  
B type with back section adjustment  
Paper roll holder (option)



## Examination Couch

### MS-04 A/B

L1840 × W670 × H700 / 130 mm  
Artificial leather cover with PU foam  
Knock down design  
Powder coating steel  
B type with back section adjustment  
Paper roll holder (option)



## Examination Couch

### MS-05

Unfold dimension: L1760 × W600 × H480 mm  
Fold dimension: L910 × W630 × H240 mm  
Artificial leather cover with PU foam  
Weight: 18 kg  
Aluminum material



## Electric Examination Couch

### MS-06

L1800 × W650 mm  
Adjustable height: 450~750 mm  
Powder coating steel body  
Artificial leather cover with PU foam  
Operation:  
Electric motor system with remote control unit  
Option:  

- Back adjustable by gas-spring (option)
- Knee adjustable by gas-spring (option)
- Side rail (option)
- 5" brake caster / central lock system (option)
- Paper roll holder (option)



## Swivel Chair

### MS-07/08

Chair top:  $\varnothing$  300 mm  
Adjustable height: 440~730 mm  
Stainless steel tube ( $\varnothing$  22  $\times$  1.0 mm)  
Feet with plastic pad (MS-07) / 4 caster (MS-08)  
Option: Chair top with cushion (code: F)



## Injection Chair

### MS-09/10

MS-09: L340  $\times$  W610  $\times$  H850 mm  
MS-10: L340  $\times$  W800  $\times$  H880 mm  
Stainless steel  $\varnothing$  22  $\times$  1.0 mm  
Seat size: L350  $\times$  W350  $\times$  H490 mm  
Feet with plastic pad



## Foot Steeper

### MS-11/12

MS-11: L450  $\times$  W300  $\times$  H200 mm  
MS-12: L400  $\times$  W520  $\times$  H450 mm  
Stainless steel plate 2.0 mm  
Stainless steel tube  $\varnothing$  25 mm  
Top with anti-slip rubber  
Feet with plastic pad  
Customization available



## Kick Bucket

### MS-13

Carrier:  $\text{Ø}295 \times \text{H}340$  mm  
Bucket:  $\text{Ø}340 \times \text{H}250$  mm (detachable)  
Round rubber bumper  
4 units 2" caster  
Stainless steel material



## Ward Screen

### MS-14/15/16

MS-14:  $\text{L}1500 \times \text{W}470 \times \text{H}1800$  mm  
MS-15:  $\text{L}2100 \times \text{W}470 \times \text{H}1800$  mm  
MS-16:  $\text{L}2900 \times \text{W}470 \times \text{H}1800$  mm

Stainless steel tube  $\text{Ø}22 \times 1.0$  mm  
Screen: Canvas material  
Detachable screen for washing  
Color available: Green, white, pink, blue  
2" caster  
Customization available (1 panel / 5 panels)



## Glove Rack

### MS-17

$\text{L}90 \times \text{W}40 \times \text{H}90$  cm  
Stainless steel material  
Bottom shelf:  $\text{L}85 \times \text{D}30 \times \text{H}3$  cm  
Glove rack is  $\text{Ø}6.3$  mm tube with V shape  
4 units 2" caster  
Customization available



## Basin Stand

### MS-18/19

MS-18: L360 × W360 × H810 mm  
MS-19: L710 × W360 × H810 mm  
Basin size: Ø340 mm  
Stainless steel  
4 units 2" caster



## Linen Cart

### MS-20

L495 × W470 × H960 mm  
Lid operation by foot pedal  
Electroplate steel  
3" caster (2 with brake)  
Double bag available



## Linen Cart

### MS-21

Ø600 × 900 mm  
Stainless steel tube Ø22 × 1.2 mm  
4" caster  
With canvas bag × 1 unit



## Utility Cart

### MS-22

L1000 × W600 × H900 mm  
Stainless steel tube Ø32 × 1.2 mm  
Stainless steel plate 0.8 mm  
Surround anti-crush bumper  
Opening front door (detachable)  
6" swivel caster (2 direction)  
Customization available





## IV Pole

### MS-23/24

- Adjustable height: 1650 ~ 2500 mm  
Stainless steel tube  $\varnothing 19 \times 1.0$  mm  
Stainless steel tube  $\varnothing 25 \times 1.0$  mm  
Hand-press operation  
23: Plastic base ( $\varnothing 530$  mm) with 5 units 2" caster  
24: Stainless steel base ( $\varnothing 580$  mm, cement inside) with 4 units 2" caster  
2 fixed hooks  
Option
- 4 fixed hooks (code: A)
  - 4 detachable hooks (code: B)
  - Stainless steel base with 3" caster (code: C)



## Mayo Table

### MS-25/26

- L460  $\times$  W400  $\times$  H800 ~ 1200 mm  
Stainless steel tube  $\varnothing 32 \times 1.2$  mm  
Tray size: L485  $\times$  W330  $\times$  H25 mm  
25: 4 units 2" caster  
26: 2 units 2" caster  
Customization available



## Mayo Table

### MS-25H

- L700  $\times$  W400  $\times$  H920 ~ 1200 mm  
Stainless steel tube  
Hydraulic operation  
Foot pedal control  
3 units 3" brake caster  
Customization available



## Trash Can

### MS-27

- Out dimension:
- $\varnothing 205 \times H260$  mm (5L)
  - $\varnothing 205 \times H400$  mm (10L)
  - $\varnothing 290 \times H450$  mm (20L)
- Stainless steel exterior  
Removable plastic basket in interior  
Lid operation by foot pedal



## X-ray Viewers

### MS-28/29/30/31

MS-28: L410 × W490 × D100 mm  
MS-29: L770 × W490 × D100 mm  
MS-30: L1100 × W510 × D100 mm  
MS-31: L1490 × W510 × D100 mm  
Stainless steel plate 0.7 mm  
Fluorescent lamp: 15W  
With film clip and power switch



## Bedpan Cart

### MS-32

Bedpan holder: L600 × H1000 mm  
Plate size: L600 × W300 × H30 mm  
4 units 2" caster  
Stainless steel material  
Custom design available  
Without bedpan



## Dressing Cart

### MS-33

L600 × W450 × H800 mm  
Stainless steel 0.8 mm  
Stainless steel tube  $\varnothing 25 \times 1.2$  mm  
4 units 4" caster (2 with brake)  
With tray, bowl and trash can  
Dressing fitting (option)

- Glass bottle (250cc) × 6
- SS forceps can × 1
- SS cotton can × 5



## File Holder Cart (20 persons)

### MS-34

L700 × W390 × H780–940 mm  
 Foldable table: L780 × W300 mm  
 Stainless steel tube Ø25 × 1.2 mm  
 Stainless steel plate 0.8 mm  
 Drawer size: H120 × W350 × D360 mm  
 4" caster  
 Options: 30 / 45 / 51 persons  
 Aluminum file holder:



Horizontal  
L30 × W23 cm



Vertical  
L23 × W30 cm



## Pharmacy Dispense Cart

### MS-35

L490 × W350 × H800 mm  
 Drawer size: W430 × D300 × H120 mm  
 With 40 units distribution tray  
 Stainless steel plate 0.8 mm  
 Stainless steel tube Ø25 × 1.2 mm  
 4" caster (2 with brake)  
 Dispense plate: 20 / 30 / 40 / 50



## Medication Cart

### MS-36/37/38/39

MS-36: L440 × W495 × H940 mm (30 bins)  
 MS-37: L560 × W495 × H940 mm (40 bins)  
 MS-38: L680 × W495 × H940 mm (50 bins)  
 MS-39: L800 × W495 × H960 mm (60 bins)  
 Bin: ABS material with card holder and divider  
 With push bar  
 With telescopic side table  
 Surround with bumper  
 A: Stainless steel type  
 B: Powder coating type



## Food Cart (without warm system)

### MS-40

L1100 × W830 × H1290 mm  
Stainless steel plate 0.8 mm  
With 2 push bar  
4" caster  
Standard: 40 persons  
Custom size available



## Oxygen Carrier

### MS-41 /42/43

MS-41: 1500 L  
MS-42: 500 L  
MS-43: 6000 L  
Stainless steel material  
With caster



## Instrument Cabinet

### MS-44/45

Dimension: L900 × W450 × H1750 mm  
Stainless steel plate 0.8 mm  
Wide opening door with temper glass and lock  
Full length hinge with key lock  
Free stand type with adjustable pad  
Adjustable shelf × 4 units  
Custom design available





## Instrument Cart

### MS-46

- Ⓢ L600 × W450 × H850 mm (code: S)
  - Ⓜ L700 × W450 × H850 mm (code: M)
  - Ⓛ L900 × W450 × H850 mm (code: L)
- Shelf with guardrail or high rim or sink design  
 Number of shelf: 2/3 (code: 2/3)  
 4" caster (2 with brake)  
 With build-in push bar  
 Stainless steel
- SS tube: Ø25 mm × 1.2 mm
  - SS plate: 0.8 mm
- Custom size available



## Instrument Cart

### MS-47

- Ⓢ L400 × W400 × H850 mm (code: S)
  - Ⓜ L450 × W450 × H850 mm (code: M)
  - Ⓛ L500 × W500 × H850 mm (code: L)
- Top shelf with guardrail (3 sides)  
 Bottom shelf with high rim (3 sides)  
 4" caster (2 with brake)  
 With build-in push bar  
 Stainless steel
- SS tube: Ø25 mm × 1.2 mm
  - SS plate: 0.8 mm
- Custom size available



## Instrument Cart

### MS-48

- Ⓢ L600 × W450 × H850 mm (code: S)
  - Ⓜ L700 × W450 × H850 mm (code: M)
  - Ⓛ L900 × W450 × H850 mm (code: L)
- Shelf with guardrail or high rim or sink design  
 Number of shelf: 2/3 (code: 2/3)  
 With build-in push bar  
 4" caster (2 with brake)  
 Stainless steel
- SS tube: Ø25 mm × 1.2 mm
  - SS plate: 0.8 mm
- Custom size available



## Instrument Cart

### MS-49

- Ⓢ L600 × W450 × H800 mm (code: S)
  - Ⓜ L700 × W450 × H800 mm (code: M)
  - Ⓛ L900 × W450 × H800 mm (code: L)
- Shelf with guardrail or high rim or sink design  
 Number of shelf: 2/3 (code: 2/3)  
 4" caster (2 with brake)  
 With build-in push bar  
 Stainless steel
- SS miter plate: 2.5 mm
  - SS plate: 0.8 mm
- Custom size available



## Dressing Cart

### MS-50

- Ⓢ L600 × W450 × H800 mm (code: S)
  - Ⓜ L700 × W450 × H800 mm (code: M)
  - Ⓛ L900 × W450 × H800 mm (code: L)
- Shelf with guardrail or high rim or sink design  
Number of drawer: 2 (up / down available, code: U/D)  
Number of shelf: 3  
With build-in push bar  
4" caster (2 with brake)  
Stainless steel
- SS tube: Ø25 mm × 1.2 mm
  - SS plate: 0.8 mm
- Custom size available



## Dressing Cart

### MS-51

- Ⓢ L600 × W450 × H800 mm (code: S)
  - Ⓜ L700 × W450 × H800 mm (code: M)
  - Ⓛ L900 × W450 × H800 mm (code: L)
- Shelf with guardrail or high rim or sink design  
Number of drawer: 2 (up / down available, code: U/D)  
Number of shelf: 2  
With build-in push bar  
4" caster (2 with brake)  
Stainless steel
- SS miter plate: 2.5 mm
  - SS plate: 0.8 mm
- Custom size available



## Crash Cart

### MS-52

- L600 × W450 × H900 mm  
Table top with sink design  
Stainless steel plate 1.0 mm  
Foldable working table  
With wooden CPR board (wooden material)  
With 7 drawer (different sizes)  
4" caster (2 with brake)  
Custom size available



## Anesthetic Cart

### MS-53

L500 × W400 × H800 mm  
Table top with 3 side guardrail  
Stainless steel plate 0.8 mm  
3 drawer with lock  
4" caster (2 with brake)  
Custom size available



## Instrument Cart

### MS-54

**S** L600 × W450 × H800 mm (code: S)  
**M** L700 × W450 × H800 mm (code: M)  
**L** L900 × W450 × H800 mm (code: L)  
Shelf with guardrail or high rim or sink design  
Number of shelf: 2/3 (code: 2/3)  
With build-in push bar  
4" caster (2 with brake)  
Custom size available



## Nursing Cart

### MS-55

L550 × W490 × H900 mm  
Table top with sink design  
Stainless steel plate 0.8 mm  
Stainless steel tube Ø25 mm × 1.2 mm  
With 16 units ABS bin  
With telescopic working table  
With build-in push bar  
4" caster (2 with brake)  
Custom size available



## Narcotic Locker

### MS-56

Dimension:  
**H** W12" × H15" × D8" (hand carry model)  
**W** W18" × H24" × D12" (wall mounted)  
Material: Powder coating steel (standard)/ Stainless steel (code: S)  
Double door with different locks (Key removable only when door is lock)  
Adjustable shelf × 1  
Options:  
• Indication light (code: L)  
• Alarm (code: A)  
• Voltage: 110 / 220V by order  
Min order: 10 units  
Customization available



## Crash Cart

### MS-57

L600 × W450 × H900 mm  
Table top with 3 side guardrail  
Stainless steel plate 1.0 mm  
Telescopic working table  
With wooden CPR board (wooden material)  
With 4 units drawer  
With cabinet  
4" caster (2 with brake)  
Custom size available



## Anesthetic Cart

### MS-58

L500 × W400 × H1000 mm  
Table top with rim  
Stainless steel plate 0.8 mm  
Telescopic writing table (front side)  
4 drawer  
With catheter box (4 units)  
4" caster (2 with brake)  
Custom size available



## Instrument Table

### MS-59

L700 × W450 mm  
Adjustable height: 780~1180 mm by knob  
Stainless steel material  
Removable table tray  
4" caster (2 with brake)  
Custom size available



## Mobile X-ray Viewer

### MS-60

L1500 × W520 × H2000 mm  
Stainless steel  
With 8 panel  
With film clip  
Rotate viewer panel  
4" caster (2 with brake)  
Fluorescent lamp: 15W





## File Holder Cart

### MS-61

Ø750 × H1200 mm  
Stainless steel  
Rotation type  
5 units 4" caster (3 with brake)  
2 shelf file holder



## Instrument Table

### MS-62

Ⓢ L1600 × W550 × H850 mm (code: S)  
Ⓛ L1900 × W550 × H850 mm (code: L)  
Stainless steel  
Curved design  
2 shelf with flat top / guardrail (code: R)  
5 units 4" caster (2 with brake)  
Custom size available



## Combination Instrument Table

### MS-63

ⓐ L1200 × W550 × H920 mm  
ⓑ L1100 × W550 × H880 mm  
ⓒ L1000 × W550 × H840 mm  
Stainless steel  
4 units 4" caster (2 with brake)



## Chart Holder Cart

### MS-64

Ⓢ L530 × D330 × H1000 mm (code: S)  
Ⓛ L630 × D330 × H1000 mm (code: L)  
Stainless steel  
V shape shelf with divider  
4 units 4" caster (2 with brake)  
Custom size available





## Chart Holder Cart

### MS-65

L1200 × D650 × H1400 mm  
Stainless steel  
V shape shelf with divider on both sides  
4 units 5" caster (2 with brake)  
Custom size available



## Linen Cart

### MS-66

Single: L600 × D600 × H850 mm (code: S)  
Double: L1000 × D450 × H850 mm (Code: D)  
Stainless steel  
With canvas bag  
4 units 4" caster (2 with brake)



## Linen Cart

### MS-67


⑤ L900 × D450 × H850 mm (code: S)  
④ L1200 × D450 × H850 mm (Code: L)  
Stainless steel  
3 shelf with guardrail  
With canvas bag  
4 units 4" caster (2 with brake)



## Cradle

### MS-68

Extension: L700 × W500 × H400 mm  
Foldable: L1390 × W440 mm  
Stainless steel  
Foldable type



## Customized Stainless Steel Appliances

Sterilization cart  
Cleaning cart  
Various sink

*Please contact with Medical-Master officers for more choices!*

## Scrub Sink

### MSC-7100/ 7400

MSC-7100: L800 × D650 × 1900 mm  
(with mirror and light system)

MSC-7400: L800 × D650 × 1300 mm

Construction:

- SS 304 sink with 1.5 mm mirror finish
- SS 304 station frame with 1.0 mm stain finish

Water supply:

- Infrared proximity sensor operated
- Bubble and shower head

Drug delivery: Infrared sensor

Mirror and light system for 7100

Manual brush delivery box

Electric leakage sensor and over loading system

Power: 110V / 220V

Option: Knee operation or foot operation



## Scrub Sink

### MSC-7200/ 7500

MSC-7200: L1600 × D650 × 1900 mm  
(with mirror and light system)

MSC-7500: L1600 × D650 × 1300 mm

Construction:

- SS 304 sink with 1.5 mm mirror finish
- SS 304 station frame with 1.0 mm stain finish

Water supply:

- Infrared proximity sensor operated
- Bubble and shower head

Drug delivery: Infrared sensor

Mirror and light system for 7200

Manual brush delivery box

Electric leakage sensor and over loading system

Power: 110V / 220V

Option: Knee operation or foot operation



## Scrub Sink

### MSC-7300/ 7600

MSC-7300: L2300 × D650 × 1900 mm  
(with mirror and light system)

MSC-7600: L2300 × D650 × 1300 mm

Construction:

- SS 304 sink with 1.5 mm mirror finish
- SS 304 station frame with 1.0 mm stain finish

Water supply:

- Infrared proximity sensor operated
- Bubble and shower head

Drug delivery: Infrared sensor

Mirror and light system for 7300

Manual brush delivery box

Electric leakage sensor and over loading system

Power: 110V / 220V

Option: Knee operation or foot operation



## Rust-Free Bedside Cabinet



Made with the PP / ABS material  
The cabinet never rust, anti-erosion, anti-acid and strong  
Special design with smooth round edge  
Easy to clean, color never fades, light and pleasant outlook

Flexible combination, maximizes space usage  
Patented modular design, strong build, easy to install and disassemble  
Easy to maintain. Individual board pieces can be replaced instead of the whole cabinet  
Cabinet can be used together with our wide range of locking system  
The cabinet can use in hospital, swimming pool, office, train station for store personal package  
Color: Green



### Dimension:

- Ⓢ 100: W308 × D468 × H440 mm
- Ⓛ 200: W308 × D468 × H880 mm
- ⓑ 300: W308 × D468 × H 60 mm

## Wires Mesh Shelf

Wire mesh shelf: Wire shelf cart offer strength and versatility. The shelf and cart could use in service room, clothing room, laundry room, packing room and store compartment.

- K/D design for easy transport and storage
- Chromed / Zinc coating/ Stainless steel as options
- Height adjustable all shelf
- Heavy duty pipe frame
- Round rubber bumpers as options
- 4"/ 5" ball bearing caster as options (2 with brake)



# Wires Mesh Shelf Components

• Post specification:


Size (inch)	Chromed (order code)	Zinc coating (order code)	Stainless steel (order code)
14"	P14C	P14Z	P14S
34"	P34C	P34Z	P34S
54"	P54C	P54Z	P54S
63"	P63C	P63Z	P63S
66"	P66C	P66Z	P66S
74"	P74C	P74Z	P74S
86"	P86C	P86Z	P86S



Shelt



Post



Divider



Ledge



• Shelf specification:

Size D × W (inch)	Chromed (order code)	Zinc coating (order code)	Stainless steel (order code)
14 × 24	S1424C	S1424Z	S1424S
14 × 30	S1430C	S1430Z	S1430S
14 × 36	S1436C	S1436Z	S1436S
14 × 42	S1442C	S1442Z	S1442S
14 × 48	S1448C	S1448Z	S1448S
14 × 54	S1454C	S1454Z	S1454S
14 × 60	S1460C	S1460Z	S1460S
14 × 72	S1472C	S1472Z	S1472S
18 × 24	S1824C	S1824Z	S1824S
18 × 30	S1830C	S1830Z	S1830S
18 × 36	S1836C	S1836Z	S1836S
18 × 42	S1842C	S1842Z	S1842S
18 × 48	S1848C	S1848Z	S1848S
18 × 54	S1854C	S1854Z	S1854S
18 × 60	S1860C	S1860Z	S1860S
18 × 72	S1872C	S1872Z	S1872S
21 × 24	S2124C	S2124Z	S2124S
21 × 30	S2130C	S2130Z	S2130S
21 × 36	S2136C	S2136Z	S2136S
21 × 42	S2142C	S2142Z	S2142S
21 × 48	S2148C	S2148Z	S2148S
21 × 54	S2154C	S2154Z	S2154S
21 × 60	S2160C	S2160Z	S2160S
21 × 72	S2172C	S2172Z	S2172S
24 × 24	S2424C	S2424Z	S2424S
24 × 30	S2430C	S2430Z	S2430S
24 × 36	S2436C	S2436Z	S2436S
24 × 42	S2442C	S2442Z	S2442S
24 × 48	S2448C	S2448Z	S2448S
24 × 54	S2454C	S2454Z	S2454S
24 × 60	S2460C	S2460Z	S2460S
24 × 72	S2472C	S2472Z	S2472S
30 × 36	S3036C	S3036Z	S3036S
30 × 48	S3048C	S3048Z	S3048S
30 × 60	S3060C	S3060Z	S3060S
30 × 72	S3072C	S3072Z	S3072S
36 × 36	S3636C	S3636Z	S3636S
36 × 48	S3648C	S3648Z	S3648S
36 × 60	S3660C	S3660Z	S3660S
36 × 72	S3672C	S3672Z	S3672S





- Push handle: Install on top of shelf

Size (inch)	Chromed (order code)	Zinc coating (order code)	Stainless steel (order code)
18"	AH18C	AH18Z	AH18S
21"	AH21C	AH21Z	AH21S
24"	AH24C	AH24Z	AH24S
30"	AH30C	AH30Z	AH30S

- Divider: Easy install for space organization, height: 8"

Size H × W (inch)	Chromed (order code)	Zinc coating (order code)	Stainless steel (order code)
8 × 14	AD814C	AD814Z	AD814S
8 × 18	AD818C	AD818Z	AD818S
8 × 21	AD821C	AD821Z	AD821S
8 × 24	AD824C	AD824Z	AD824S

- Side ledge: Insert on wire mesh shelf surrounding to prevent item fall down.


Size H × W (inch)	Chromed (order code)	Zinc coating (order code)	Stainless steel (order code)
4 × 14	AL414C	AL414Z	AL414S
4 × 18	AL418C	AL418Z	AL418S
4 × 21	AL421C	AL421Z	AL421S
4 × 24	AL424C	AL424Z	AL424S
4 × 30	AL430C	AL430Z	AL430S
4 × 36	AL436C	AL436Z	AL436S
4 × 42	AL442C	AL442Z	AL442S
4 × 48	AL448C	AL448Z	AL448S
4 × 54	AL454C	AL454Z	AL454S
4 × 60	AL460C	AL460Z	AL460S
4 × 72	AL472C	AL472Z	AL472S

- U shape push handle: Install on side of cart

Size (inch)	Chromed (order code)	Zinc coating (order code)	Stainless steel (order code)
14"	AE14C	AE14Z	AE14S
18"	AE18C	AE18Z	AE18S
21"	AE21C	AE21Z	AE21S
24"	AE24C	AE24Z	AE24S

- Safety surround set (enclose the item in the shelf)
- Grown hanger shaft
- Heavy duty shelf (loading capacity: Approx. 500 kg) – Only available for Zinc coating





# Veterinary

Veterinary operation table lifter

Veterinary scrub sink

Treatment table

Isolation cage

Animal cage and trolley

*Our company reserves rights to revised the technical parameters, appearance and structure, color, etc. of the products included in this catalog without previous notice.*

## Veterinary Operation Table

### MVT-100

Table dimension: L1230 × W600 × H850 mm  
Stainless steel (1.2 mm)  
Adjustable height: 230 ~ 1000 mm  
By low height design, the nursing staff could transport the animal to the table easily  
Low voltage electric motor system  
Foot pedal operation  
Free stand type with adjustable feet  
Cross frame design for high durability  
Table top with drain hole and slight slope for cleaning  
Battery (code: B)  
Weight scale with LED monitor (code: DS)



## Veterinary Operation Table

### MVT-200

Table dimension: L1240 × W590 mm  
Stainless steel (1.2 mm)  
Adjustable height: 740 ~ 1020 mm  
Hydraulic jack operation  
Trendelenburg and reverse trend: -45 ~ 45  
Lateral tilt: -70 ~ 70



## Veterinary Operation Table

### MVT-300

Table dimension: L1100 × W600 × H850 mm  
Stainless steel material  
Store cabinet in the bottom  
LED monitor  
With weight scale (max. 300 kg)  
Battery (code: B)



## Economic Veterinary Table

### MVT-400

L1200 × W600 × H900 mm  
Stainless steel  
With IV pole  
4 units 4" brake caster / Rubber feet  
Customization available



## Veterinary Therapy Table

### MVT-500

L1550 × W630 × H850 mm  
Stainless steel  
Wire-mesh table top  
With drain hole for easy cleaning  
Free stand type with adjustable feet  
Customization available



## Sectional Isolation Cage

### MV-01

**S** W610 × D700 × H640 mm (code: S)  
**M** W915 × D700 × H640 mm (code: M)  
**L** W1200 × D700 × H760 mm (code: L)  
With bedpan  
Stainless steel



## Restriction Cage

MV-02

L710 × W330 × H410 mm  
Stainless steel  
Shelf in the middle side



## Veterinary Sinks

MV-03

L1550 × W630 × H900 mm  
With drain hole for easy cleaning  
Stainless steel  
Customization available



## Animal Cage And Trolley

MV-04

Cage size: L300 × D290 × H200 mm  
Trolley: L2000 × D350 × H2000 mm  
4 units 5" brake caster (anti-high temperature)  
With bedpan  
Stainless steel  
Customization available





## Animal Cage And Trolley

### MV-05

Cage size: L450 × D600 × H450 mm  
Trolley: L1650 × D600 × H1700 mm  
4 units 5" brake caster (anti-high temperature)  
With bedpan  
Stainless steel  
Customization available



## Animal Cage And Trolley

### MV-06

Cage size: L750 × D650 × H450 mm  
Trolley: L1750 × D650 × H1800 mm  
4 units 5" brake caster (anti-high temperature)  
With bedpan  
Stainless steel  
Customization available



## Animal Cage And Trolley

### MV-07

Cage size: L500 × D550 × H350 mm  
Trolley: L1250 × D550 × H1600 mm  
4 units 5" brake caster (anti-high temperature)  
With bedpan  
Stainless steel  
Customization available



## Veterinary Sinks

### MV-08

Dimension: L1500 × W720 × H1400 mm  
Stainless steel  
Adjustable feet  
Customization available




## Utility Cart

### MV-09

Dimension: L1800 × W500 × H1700 mm  
Stainless steel  
5" caster × 4 (2 with brake)  
Customization available





# Rehab

- Patient lifter
- Stand aids
- Rehab item
- Rehab couch
- Tilt table
- Electric lifting table

*Our company reserves rights to revised the technical parameters, appearance and structure, color, etc. of the products included in this catalog without previous notice.*

## Treatment Table

### MR-001

L2000 × W670 mm  
Powder coating steel construction  
PU foam with artificial leather cover  
3 sections platform  
Adjustable head section: -45 ~ 45 by gas-spring  
Adjustable foot section: 0 ~ 55 by gas-spring  
Adjustable bed height: 540 ~ 960 mm  
4" brake caster × 4 units  
Low voltage motor system with remote handset

Table adapts to suit the positioning and treatment needs of all basic manual techniques, providing the clinician with adaptability to isolate or incorporate specific joints and muscles



## Tilt Table

### MR-002

Platform dimension: L193 × W60 cm + 5%  
Bedframe dimension: L230 × W74 cm + 5%  
Height adjustment: 50 ~ 100 cm + 5%  
Powder coating steel construction  
Tilt and height adjustment by motor system and remote handset  
Individual pedal for different angle adjustment  
With 4" brake caster × 4 units  
With angle indicator (0 ~ 90)  
With wide patient strap  
With 2 hand grip  
With training table

Standing can assist in the natural gravitational functions of the body, reeducate balance mechanisms affected by long periods of lying and give a degree of independence.



## Tilt Table

### MR-003

Platform dimension: L183 × W60 cm + 5%  
Height adjustment: 57 ~ 82 cm + 5%  
Stainless steel construction  
Tilt and height adjustment by motor system and remote handset  
With 4" brake caster × 4 units  
With wide patient strap

Standing can assist in the natural gravitational functions of the body, reeducate balance mechanisms affected by long periods of lying and give a degree of independence.





## Economy Tilt Table

### MR-004

Platform dimension: L183 × W60 cm + 5%  
Fixed adjustment: 75 cm + 5%  
Stainless steel construction  
Tilt by motor system and remote handset  
With 4" brake caster × 4 units  
With wide patient strap

Standing can assist in the natural gravitational functions of the body, reeducate balance mechanisms affected by long periods of lying and give a degree of independence.



## Posture Mirrors

### MR-005

Wooden material  
With 4 swivel caster  
L600 × W350 × H1800 mm

Posture mirrors used for postural reeducation and feedback for normal movement.



## Patient Walker

### MR-006

Seat adjustment: 970 ~ 1200 mm  
(group to seat: 470 ~ 700 mm)  
Hand rest: 1100~1300 mm  
Height adjust by knob  
4" caster × 4 (2 with brake)  
Powder coating steel

This walker is used to provide support of the lower extremities during therapy and rehabilitation.



## Traction Head Set

### MR-007

Triangle rack with wheel (2 sets)  
Adjustable head strap  
20 pound water bag

Ideal upright traction for use in the clinic or at home.



## Height Adjustable Parallel Bars

### MR-008

L3000 × W600 mm  
Adjustable height: 700 ~ 1050 mm  
Stainless steel bar  
Anti-slip pathway

These parallel bars provide excellent stability and are extremely robust.



## Pulley System

### MR-009

L900 × W150 × H1950 mm  
Stainless steel  
Weight: 6 kg / side

Weighted resistive exercises can be achieved on this system for arms and legs by adding the weight to help build strength and endurance.



## Wall Bars

### MR-010

L900 × W130 × H2100 mm  
Pillar dimension: Ø38 mm  
Wooden material

Wall bars in polished wooden pillar and customization to suit your clinic requirements.





## Corner Step-Height Adjustable

### MR-011

L3000 × W1800 × H1400 mm

Height:

- 7 stair side: 75 mm
- 3 stair side: 250 mm
- Platform: 600 mm

With handrail

Wooden material

Anti-slide pathway

Customization available



These stairs provide excellent training for patient's walking ability

## Pedal Exerciser

### MR-012 A/B

A: L550 × W460 × H300 mm

B: L500 × W420 × H280 mm

Electroplate steel

K/D design for home using

An upper and lower body exercise in one. Ideal for gentle exercise for use in the home and clinic.



## Overhead Pulley

### MR-013

Triangle rack with wheel (2 sets)

With 2 handgrip

Simple to use for rebuilding muscles and increasing range of motion.



## Stacking Cones


### MR-014

Platform: L480 × W300 mm

Cone: Ø65 × H110 mm

Set of 30 cones includes six colors

Ideal for UE activities, eye / hand coordination, grasp/ release, color identification and sequencing.



## Grooved Peg Board

MR-015

Dimension: L200 × W200 × H36 mm  
50 mm peg × 25 units (detachable)

Used to increase upper extremity range of motion, strength, coordination and endurance and to improve cognitive and visual skills.



## Shoulder Rotation Exerciser

MR-016

Wheel: Ø900 mm  
Wheel adjustable height: 300 mm  
Stainless steel  
Wall mounting type

Shoulder rotation exerciser to increase range of motion and exercise the wrist and forearm.



## Curved Shoulder Arc

MR-017

L1000 × W120 × H720 mm  
Colorful tabs × 10

Moving the colorful tabs from one side of the arc to the other achieves full upper extremity range of motion and improved motor planning and visual tracking skills.



## Pegboard (dual cylinder)

MR-018

L350 × W230 × H18 mm  
24 peg with 4 colors

Designed for stimulate depth perception and eye-hand coordination.



## Pegboard

### MR-019

L300 × W250 × H18 mm  
Peg size: Ø18 × 30 / 40 / 50 / 60 / 70 / 80 mm  
30 peg with 6 colors

Designed for stimulate depth perception and eye-hand coordination.



## Pegboard

### MR-020

L250 × W240 × H20 mm  
Peg size: 20 × 20 × 60 mm  
20 peg with 5 colors

Designed for stimulate depth perception and eye-hand coordination.



## Manual Dexterity Test

### MR-021

L520 × W520 mm  
Foldable type  
64 chess  
Chess size: Ø38 × 10 mm

Measures capacity for rapid eye/ hand coordination for jobs requiring manipulative skills. Tests unilateral or bilateral movements.




## Complex Form Board

### MR-022

L410 × W170 × H10 mm with 3 color (code: 3)  
L190 × W180 × H10 mm with 4 color (code: 4)  
L300 × W190 × H10 mm with 6 color (code: 6)  
L600 × W400 × H10 mm with 12 color (code: 12)

Elevation and training in form constancy, position on space, shape recognition and sequencing as well as teaching compensatory techniques for loss of visual field.



## Throwing Board

MR-023

L550 x W350 x H900 mm  
2 adjustable height  
With 10 sand bags

Provides a baseline for upper extremity manual dexterity and gross motor coordination.



## Horizontal Ring Tree

MR-024

L700 x W180 x H520 mm  
Ring size: Ø38 x H30 mm  
30 ring with 5 color

User can sit or stand while increasing range of motion, strength, balance and perceptual motor skills.



## Vertical Ring Tree

MR-025

L560 x W180 x H670 mm  
Ring size: Ø38 x H30 mm  
39 ring with 6 color

Can be used for increasing range of motion, eye/ hand coordination, manipulation, endurance and sequencing.



## Forearm / Palm Exercise Pad

MR-026 F/P

L320 x W120 x H40 mm (code: F)  
L160 x W160 x H40 mm (code: P)  
With 2 straps  
With 4 swivel casters

Allows customizing program forearm and palm motion.





## Abduction Ladder

MR-027

H110 × W55 mm  
36 ladder

For people with hand injuries, neurological impairment injuries.



## Climbing Board And Bar

MR-028 W/S

L600 × W120 × H900 mm  
Climbing Bar × 14 pairs  
Wooden material (code: W)  
Stainless steel material (code: S)

Used to increase range of motion and strength of the upper extremities.



## Incline Table

MR-029

L1060 × W600 × H760 mm  
Incline angle: 5, 10, 20, 30, 40 and 50 degrees  
With 2 handle box

Table can be positioned at different angles to provide varying degrees of shoulder extension.



## Rocker Board

MR-030

L460 × W460 × H150 mm  
Wooden material  
Top with anti-slip green carpet

Used to ankle injury rehabilitation



# Electric Patient Lift

## 450LE/650HD

Maximum patient safety and comfort are built into this highly maneuverable workhorse. Caregivers appreciate the ease of operation ability to work in tight places. Built in emergency lowering device and over load warning system. Equipped with the six point spreader bar for superior sling comfort.

- 400lb / 600 lb safe working load
- Standard low base height
- Battery system warns of load and low charge levels
- Base opens easily with foot pedal device
- Scale option (DSC-200)



450LE



650HD

	450LE	650HD
Spreader Bar Max Height	165 cm (65")	180 cm (71")
Spreader Bar Min Height	39 cm (15.5")	56 cm (22")
Base Closed External Width	67 cm (26.5")	66 cm (26")
Base Closed Internal Width	56 cm (22")	54.5 cm (21.5")
Base Open External Width	96.5 cm (38")	109 cm (43")
Base Open Internal Width	85 cm (33.5")	96.5 cm (38")
Base Height	11.4 cm (4.5")	15 cm (6")/ 12.5 cm (5")
Mast Height	122 cm (48")	122 cm (48")
Overall Length	79 cm (31")	127 cm (50")
Unit Net Weight	114.5 lbs	137 lbs
Lockable Casters	Yes	Yes





# Electric Stand Lift

## SAL1230/1260HD

Ultimate solution for worry free patient transfers between bed, chair or commode. The leading stand assists used in homes. Combined with the specially designed sling a new level of comfort and safety is achieved. Easy to operate, takes up minimal space and value priced.

- 400lb safe load
- Removable foot platform
- Semi Toileting sling option
- Four sizes of slings available



SAL1230



1260HD

	SAL1230	SAL1260HD
Spreader Bar Max Height	173 cm (68")	173 cm (68")
Spreader Bar Min Height	84 cm (33")	84 cm (33")
Base Closed External Width	65 cm (25.5")	65 cm (25.5")
Base Closed Internal Width	53 cm (20.75")	53 cm (20.75")
Base Open External Width	94 cm (37")	94 cm (37")
Base Open Internal Width	82.5 cm (32.5")	82.5 cm (32.5")
Base Height	11.4 cm (4.5")	11.4 cm (4.5")
Mast Height	101.5 cm (40")	101.5 cm (40")
Overall Length	101.5 cm (40")	101.5 cm (40")
Unit Net Weight	117 lbs	122 lbs
Lockable Casters	Yes	Yes





## Patient Lift

### 400H/E/K

The 400H / E / K home care lifts are designed for either manual or electric operation using the same base. The hydraulic unit 400H may be upgraded to electric anytime with an easy-to-attach electric kit (400K). Built to last, and yet extremely affordable.

- 400lb safe working load
- Assembles securely and quickly without tools
- Compact design allows for easy lifting from floor
- Foot pedal base opening for ease of chair/ commode access



400H



400E

## Stand Aid Lift

### Spryte

The Spryte stand aid transport assist unit which keeps the resident active and engaged in the process. Transport functions of all types are quick and require minimal caregiver assistance. Users grasp the middle bar and pull themselves up into position. A padded split seat swings out to allow loading or unloading. The seat then swings back to form a secure and comfortable seat for transport. An excellent alternative to wheelchairs for easier toileting. Rugged construction for years of service in acute care, nursing homes and private residences.

- 400lb safe working load (depending on girth)
- Dual knee pads for secure transports
- Fits through narrow door ways
- Option support strap available
- Affordable alternative to electric stand assists



Maximum Width	Maximum Height	Base Height	Overall Length	Unit Weight
25.5"	43"	4.5"	32"	60 lbs

## Digital Scale For Patient Lifts

### DSC-200

Digital scale fits all standard Apex floor lifts. Calibrated from 0-600lbs may be converted to kilograms with a push of a button. Assembly hardware and complete usage instructions included with each unit.



## Patient Lift Specification

	400H 400E GENERIS	450LE ELECTRIC	650HD BARIATRIC	SAL1230 STAND ASSIST	SAL1260HD STAND ASSIST	STA182 SPRYTE
Weight Capacity	400 lbs	400 lbs	600 lbs	400 lbs	600 lbs	400 lbs
Max Height Of Spreader Bar	66"	67.5"	71"	68"	68"	43"
Min Height Of Spreader Bar	21"	23"	22"	33"	33"	N / A
Base Closed External Width	26"	25.5"	26.5"	25.5"	25.5"	N / A
Base Closed Internal Width	21"	22"	21.75"	20.75"	20.75"	N / A
Base Open External Width	35.5"	38"	43"	37"	37"	25.5"
Base Open Internal Width	30.5"	33.5"	38"	32.5"	32.5"	N / A
Base Height Clearance	4.5"	4.5"	6" OR 5"	4.5"	4.5"	4.5"
Mast Height	46"	48"	48"	40"	40"	N / A
Overall Length	41"	41"	50"	40"	40"	32"
Unit Net Weight	75 lbs	114.5 lbs	137 lbs	117 lbs	122 lbs	60 lbs
Lockable Casters	YES	YES	YES	YES	YES	YES



## Universal Slings

### SL-UM882/883

Universal slings or "U" slings allow for easier application than full body slings. The universal sling molds

Around the body easily, eliminating the need to pull the sling under and risk skin injury or discomfort.

Available in mesh or full deluxe padded styles. Six point connectivity increases safety and weight distribution.

For superior comfort. Also available with full head support.



Universal Mesh Slings		
SL-UM882	Medium	400 lbs
SL-UM883	Large	400 lbs

## Hammock Slings

### SL-HP222/223

Fully padded with additional support to the entire body these slings are the perfect choice when comfort is the prime consideration. Pressure points are eliminated due to deluxe padding and the way in which the sling

Cradles the patient. Additional support is provided for the head, neck and torso. Best choice for amputee usage.



Hammock Padded Slings		
SL-HP222	Medium	400 lbs
SL-HP223	Large	400 lbs

## Deluxe Stand Assist Slings

### SL-SA662/663/664

Shown here with optional buttock strap  
Optional Buttock Strap

Experience the most comfortable stand assist sling on the market! Lumbar and underarm pads provide maximum comfort as this sling will not ride up. Use with our Stella lifts or to replace uncomfortable competitive slings. For those that require some additional initial lift assistance an optional buttocks strap attachment is available.



Stand Assist Padded Slings		
SL-SA662	Medium	400 lbs
SL-SA663	Large	400 lbs
SL-SA664	Bariatric	600 lbs

For more sling choices, please kindly contact with Medical-Master:



# Bath

Shower Trolley  
Shower Chair  
Commode Chair

*Our company reserves rights to revised the technical parameters, appearance and structure, color, etc. of the products included in this catalog without previous notice.*

## Shower Trolley

### MST-1000

Dimension: L1950 × W650 mm  
Adjustable height: 610 ~ 810 mm  
Hi-low adjustable by hydraulic system  
Trendelenbug and re. trendelenbug available  
2 sides transport available  
High density PVC cover surface  
Material: Stainless steel with powder coating  
6" high quality caster with brake  
Loading capacity: 200 kg  
With pillow  
With drainpipe



## Shower Trolley

### MST-2000

Dimension: L1950 × W750 mm  
Adjustable height: 550 ~ 950 mm  
Hi-low adjustable by hydraulic system  
Trendelenbug and re. trendelenbug available  
2 sides transport available  
High density PVC cover surface  
Material: Stainless steel with powder coating  
6" high quality caster with brake  
Loading capacity: 200 kg  
Option: Central locking system  
With pillow  
With drainpipe



## Shower Chair

### MST-3000

Dimension:  
• Seat position: L580 × W560 × H1480 mm  
• Bed position: L1800 × W560 × H610 mm  
Material: Stainless steel  
Adjustable back section by hand grip  
5" brake caster with dust sheet  
With drop down side rail  
Waterproof mattress  
With commode (detachable)



## Shower Chair

### TK-CM011

Sturdy 1" aluminum tubing frame featuring angle back support for greater comfort  
Four casters provide mobility  
Rear casters lock provide extra safety  
Full length plastic armrest  
Miu order: 30 units



## Commode Chair

### TK-CM012

Chrome plated steel tubing frame  
Drop arm design easy movement  
Swing-away and detachable footrest  
Padded soft seat pad over toilet seat offer multifunction purpose  
Injection molded plastic toilet seat, quart pail, and cover  
Back can be easily removed  
High-impact commode bucket with lid



## Toilet Aids

### TK-AS7030

Aluminum tubing frame is sturdy and light weight  
Waterfall armrest provide additional comfort and support  
Arm height and width are adjustable  
Miu order: 30 units



## Economic Shower Bed

### MST-4000

Dimension: L1800 × W550 × H700 mm  
Stainless steel material  
Vertical side rail with pillar  
Stainless steel with plugholes  
5" caster × 4 (2 with brake)



## Aluminum Transfer Shower Bench

### CA360L

Aluminum frame  
With three-piece seat, contoured,  
blow-moulded back, side support arms  
Suction-cup tips on legs provide extra  
stability and safety



## Aluminum Shower Bench

### CA350L/340L

Aluminum frame  
Suction-cup tips on legs provide extra  
stability and safety  
Detachable backrest







# Transport

Wheelchair  
Walking Frame  
Cane  
Walking aids  
Crutches  
Heavy duty wheelchair  
Pediatric wheelchair

*Our company reserves rights to revised the technical parameters, appearance and structure, color, etc. of the products included in this catalog without previous notice.*



## Wheelchair

### CA-905

Steel Frame with chrome plating  
Padded Armrest  
24" or 16" rear wheel and 7" front caster  
Patient operated wheel locks  
Composite Footplates



## Wheelchair

### CA-905B

Steel frame with chrome plating  
Fixed Armrest and Fixed footrest  
Padded and embossed upholstery  
Padded leatherette armrest  
8" x 1" solid front wheel  
24" x 1" mag wheel with solid tire  
Die-cast aluminum footplates



## Wheelchair

### CA-923

Steel frame with chrome plating  
Removable desk-length armrest and detachable swing-away footrest  
Padded and embossed upholstery  
Padded leatherette armrest  
8" x 1" solid front wheel  
24" x 1" mag wheel with solid tire  
Die-cast aluminum footplates



## Wheelchair

### CA-923BC

Steel frame with chrome plating  
Removable desk-length armrest and detachable swing-away elevating footrest  
Padded and embossed upholstery  
Padded leatherette armrest  
8" x 1" solid front wheel  
24" x 1" mag wheel with solid tire  
Die-cast aluminum footplates



## Steel Wheelchair

### CA-942

Steel Reclining Wheelchair  
reclining high back, moveable armrest elevating  
footrest, solid castor, solid rear wheel



## Aluminum Wheelchair

### TK-AW1662-40HB

Fold Down Back for easily storage  
Light Weight Aluminum Frame Construction  
Padded Armrest  
16" rear wheel and 6" front caster  
Equipped with both Hubs Break and hand pull break  
Composite Footplates



## Aluminum Wheelchair

### TK-AW2262-40TB

Fold Down Back for easily storage  
Light Weight Aluminum Frame Construction  
Padded Armrest  
22" rear wheel and 6" front caster  
Composite Footplates




## Aluminum Wheelchair

### TK-AW2261-40

Light Weight Aluminum Frame Construction  
Padded Armrest  
22" rear wheel and 6" front caster  
Patient operated wheel locks  
Composite Footplates




## Walking Aids / Cane / Walker



*We have various wheelchair and walking aids for you choice.  
Please kindly contact with our local dealers for more models.*





# Operation

Operation table  
Operation lamp

*Our company reserves rights to revised the technical parameters, appearance and structure, color, etc. of the products included in this catalog without previous notice.*

# Multi-Purpose Operation Table

AT-6600 □ □ □ □ □

- Option A: 1 pc pneumatic leg section
- Option F: 1 pc motorized leg section
- Option for U (kidney elevator)
- Option for B (battery backup)
- Option for R (auto level)
- Option for T / S / ST  
(S-sliding, T-Tractor for orthopedic)





P.S.

- The other specifications can be manufactured by order.
- All the models are motorized brake.
- 2 ~ 6 are controlled by electric system, 7 ~ 9 must be done by manual.
- Standard type and R type load: 500VA; controller voltage: DC24V.
- AC / DC type (B type) and RB type is 350VA, all inside are DC24V, controller is DC5V.
- R type, B type, and RB type's other functions.

**Standard Accessories :**

1. Screen frame ..... 1 pc
2. Head section ..... 1 pc
3. Arm board ..... 2 pcs
4. Foot section ..... 2 pcs
5. Mattress ..... 1 set
6. Control box ..... 1 set
7. Tractor ..... 1 set  
(And cart, only for AT-6600T & AT-6600ST)

The other unlisted accessories please refer MEDICAL-MASTER accessories catalogue.



	AT-6600	AT-6600S	AT-6600T	ST-6600ST
Table top	50 × 193 cm			
Elevation	74 ~ 110 cm	74 ~ 110 cm	74 ~ 106 cm	74 ~ 106 cm
Back section	-40° ~ +90°	-30° ~ +90°	-40° ~ +90°	-30° ~ +90°
Lateral tilt	+30° ~ -30°			
Trendelenburg	+30° ~ -30°			
Slide stroke		30 cm		30 cm
Table top rotation	180°			
Head section	+30° ~ -90°			
Leg section	+15° ~ -90°			
Power supply	AC110 / 220V			
Power consumption	500VA / 350VA			
Control voltage	DC24V / DC5V			

## Multi-Purpose Operation Table

AT-6700 □ □ □ □ □

- Option-F: motorized leg section
- Option-A: pneumatic leg section
- Option-U (kidney elevator)
- Option-B (battery backup)
- Option-R (auto level)
- Option-G / N / P / NS / PS (S-sliding function)  
N: Lowest position (54 cm)  
P: Highest position (150 cm)







P.S.

- The specifications can be manufactured by order.
- All the models are motorized brake.
- 2 ~ 5 are controlled by electric-hydraulic system, 6 ~ 8 must be done by manual.
- Standard type and R type load: 500VA; controller voltage: DC24V
- AC / DC type (B type) and RB type is 350VA, all inside are DC24V, controller is DC5V.
- R type, B type, and RB type's other functions.
- For AT-6700N/ P type: the sliding function (30cm) is option available.
- If the unit is equipped with the sliding function, the elevation must be added 7cm and the back section range is 90° ~ -30°

**Standard Accessories:**

1. Screen Frame ..... 1 pc
2. Head Section ..... 1 pc
3. Arm Board ..... 2 pcs
4. Foot Section ..... 2 pcs
5. Mattress ..... 1 set
6. Control box ..... 1 pc

The other unlisted accessories please refer MEDICAL-MASTER accessories catalogue.



	AT-6700G	AT-6700N	AT-6700P
Table Top		50 × 193 cm	
Elevation	65 ~ 95 cm	54 ~ 102 cm	70 ~ 150 cm
Back Section	-40° ~ +90°	-40° ~ +90°	-40° ~ +90°
Lateral Tilt		+22° ~ -22°	
Trendelenburg		+22° ~ -22°	
Table Top Rotation		180°	
Head Section		+30° ~ -90°	
Leg Section		+15° ~ -90°	
Power Supply		AC110 / 220V	
Power Consumption		500VA / 350VA	
Control Voltage		DC24V / DC5V	
Control Voltage		DC24V / DC5V	



# Semi-Auto Operation Table

## AT-6800

- Head section operating handle
- Back section operating handle
- Tilt operating handle
- Leg section operating handle
- Brake pedal
- Controller

By adding AT-6600T2 Orthopedic tractor


### Specifications:

- Table top size: 500 × 1975 mm
- Elevation : 690 ~ 1000 mm (electric-hydraulic)
- Trend: +22° ~ -22° (electric-hydraulic)
- Tilt : +22° ~ -22° (mechanical)
- Back section: +65° ~ -30° (air spring)
- Head section: +90° ~ -90° (mechanical)
- Leg section: +15° ~ -100° (air spring)
- Brake (mechanical by foot-pedal)
- Power: AC 110 / 220V. 50 / 60Hz (or by order)

(In addition to above, special-ordered specifications are available)

### Standard Accessories:

- ① Screen frame ..... 1 set
- ② Head section ..... 1 set
- ③ Arm board ..... 2 pc
- ④ Leg section ..... 1 set
- ⑤ Mattress ..... 1 set
- ⑥ Operating handle ..... 1 pc
- ⑦ Controller ..... 1 set
- ⑧ Power cable ..... 1 set



# Manual Operation Table

## AM-500

- Head section operating handle
- Back section operating handle
- Trend. / Tilt operating handle
- Leg section operating handle
- Brake pedal
- Elevation pedal

### Specifications:

- Table top size: 500 × 1975 m/m
- Elevation: 700 ~ 1000 m/m (hydraulic foot-pedal)
- Trend. : +22° ~ -22° (mechanical)
- Tilt : +22° ~ -22° (mechanical)
- Back section : +65° ~ -30° (air spring)
- Head section : +90° ~ -90° (mechanical)
- Leg section : +15° ~ -100° (air spring)
- Brake (mechanical foot-pedal)

### Standard Accessories:

- ① Screen frame ..... 1 set
- ② Head section ..... 1 set
- ③ Arm board ..... 2 pc
- ④ Leg section ..... 1 set
- ⑤ Mattress ..... 1 set
- ⑥ Operating handle ..... 1 pc



# Gyn & Delivery Table

## AD-960

### Specifications:

- Table top: 57 × 124 cm (with auxiliary table: 57 × 185 cm)
- Elevation: 615 ~ 915 m/m (special order: 665 ~ 1015)
- Trendelenbury: +30° ~ -10° (seat)
- Back-break: -10° ~ +75°
- Power supply: AC110V, 50 / 60 Hz or AC220V, 50 / 60Hz

### Standard Accessories:

- ① Pillow ..... 1 pc
- ② Arm boards ..... 2 pcs
- ③ Bed Mattress ..... 1 set
- ④ Water proof seatcover ..... 1 pc
- ⑤ Waist side handles ..... 2 pcs
- ⑥ Leg crutches ..... 2 set
- ⑦ Auxiliary table ..... 1 pc
- ⑧ Sloping pan (with filter) ..... 1 pc
- ⑨ Foot control ..... 1 set
- ⑩ Power cord ..... 1 pc



# Gyn & Delivery Table

## AD-980

### Specifications:

- Table top: 60 × 130cm  
(with auxiliary table: 60 × 180 cm)
- Elevation: 660 ~ 960 m/m
- Trendelenburg: +25° ~ -10° (SEAT)
- Back-break: 0° ~ +70°
- Power supply: AC110V, 50 / 60 Hz or AC220V,  
50 / 60 Hz (or by order)

### Standard Accessories:

- ① Pillow ..... 1 pc
- ② Arm boards ..... 2 pcs
- ③ Bed Mattress ..... 1 set
- ④ Water proof seatcover ..... 1 pc
- ⑤ Waist side handles ..... 2 pcs
- ⑥ Leg crutches ..... 2 set
- ⑦ Auxiliary table ..... 1 pc
- ⑧ Sloping pan (with filter) ..... 1 pc
- ⑨ Foot controller ..... 1 set
- ⑩ Power cord ..... 1 pc



# Ophthalmic & Plastic Table

## AS-701

### Specification:

- Table top: 600 × 1900 m/m
- Elevation: 550 ~ 850 m/m (without mattress)
- Power: AC 110/220V  
50 / 60 Hz 500VA



## AS-702

### Specification:

- Table top: 600 × 1900 m/m
- Elevation: 550 ~ 850 m/m (without mattress)
- Back Section: 0° ~ 70° (or-20° ~ +50°)
- Power: AC 110 / 220V  
50 / 60 Hz 500VA

### Standard Accessories:

1. Foot controller ..... 1 set
2. Power cord ..... 1 pc

### Optional Accessories:

- Hand Rest of Head Section for Doctor.
- Please refers MEDICAL-MASTER accessories list according your necessary.



# Multi-Purpose Examination Table

## AG-800

### Specifications:

- Tables top: 550 × 1000 mm  
(With auxiliary table: 550 × 1750 mm)
- Elevation: 600 ~ 850 mm (or by order)
- Seat section: 0° ~ +20° (AG-801 immovable)
- Back section: -15° ~ +60°
- Power supply: AC-110V, 50 / 60 Hz (or by order)

### Standard Accessories:

1. Screen Frame ..... 1 pc
2. Arm boards ..... 1 pc
3. Sloping pan (with filter) ..... 1 pc
4. Leg crutches ..... 2set
5. Forceps cup ..... 1 pc
6. Foot controller ..... 1 set
7. Seat cover (water proof) ..... 1 pc
8. Bed Mattress ..... 1 set

### Optional Accessories:

1. Delivery tray ..... 1 set
2. Handles of waist side ..... 2 set
3. Auxiliary table ..... 1 set
4. Contaminations basin & bucked ..... 1 set
5. Twin legholder ..... 2 set
6. Spot light ..... 1 set
7. Proctology Basin (for Protology) ..... 1 set
8. Urine collection Basin (for Urodynamic) ..... 1 set

(built-in as the front page of the brochure)



Functions	AG-801	AG-802	AG-803	AG-804
Elevating column	Y	Y	Y	Y
Backrest articulates	Y	Y	Y	Y
Seat inclines	N	Y	Y	Y
Auto raise/ lower column	N	N	Y	Y
Pre-setting height-adjustment (H / M / L)	N	N	Y	Y
Auto table at maximum. Height and chair at minimum height	N	N	N	Y



# LED Operation Lamp

K6



Technical index	Model	K6
Light Head Diameter		62 cm
Articulation Radius		170 / 183 / 198 cm Or by order
Light Head Height Adjustment		105 cm
Illuminate Mode		Reflect LED
Central Illuminance / 1m		0 ~ 160,000Lux / each
MIS (ENDO Light)		0 ~ 28,000Lux
Color temperature		4300°K (±300)
Color Rendering Index		92 (±4)
Focusable Light Head Height		60 ~ 180 cm
Depth of Light		60 cm
Depth of Illumination (L1+L2)		110 cm
Light field diameter		15 ~ 27 cm
LED Quantity (each light head)		36
LED Life		50,000Hrs
Heat to Light Ratio		2.6mw / m²lux
Maximum Power		36W At 160,000Lx / 1m
Power Supply		AC100 ~ 240V



(Color Temperature 3800°K warm white light is optional)



# LED Operation Lamp

K3



Technical index	Model	K3
Light Head Diameter		20 cm
Articulation Radius		163 cm Or by order
Light Head Height Adjustment		105 cm
Illuminate Mode		Reflect LED
Central Illuminance / 1m		0 ~ 70,000Lux / each
MIS (ENDO Light)		--
Color temperature		4300°K (±300)
Color Rendering Index		92 (±4)
Focusable Light Head Height		50 ~ 180 cm
Depth of Light		80 cm
Depth of Illumination (L1+L2)		130 cm
Light field diameter		12 ~ 20 cm
LED Quantity (each light head)		7
LED Life		50,000Hrs
Heat to Light Ratio		2.6mw / m²lux
Maximum Power		18W At 70,000Lux / 1m
Power Supply		AC100 ~ 240V

(Color Temperature 3800°K warm white light is optional)



# Halogen Operation Lamp

U6



6 SERIES	U6-1	U6-2
Lamp	1pc	2pc
Lamp Dia	62 cm	62 cm
Reflector	Polygon reflector	Polygon reflector
Intensity	110000Lux	110000LUx / each
Color Temp	4300°K (±200)	4300°K (±200)
CRI	93 (±3)	93 (±3)
Focus Range	60 ~ 180 cm	60 ~180 cm
Depth of Light	70 cm	70 cm
Bulb Spec	24v 150w Halogen	24v 150w Halogen
Bulb Quantity (each lamp)	Main 1 Spare 2	Main 1 Spare 2
Action Radius	170 cm Or by order	183 cm Or by order
Hight Adj	105 cm	105 cm
Power	AC100 ~ 260V	AC100 ~ 260V



U6-3	U6-S	U6-W
3pc	1pc	1pc
62 cm	62 cm	62 cm
Polygon reflector	Polygon reflector	Polygon reflector
110000Lux / each	110000Lux	110000Lux
4300°K (±200)	4300°K (±200)	4300°K (±200)
93 (±3)	93 (±3)	93 (±3)
60 ~ 180 cm	60 ~ 180 cm	60 ~ 180 cm
70 cm	70 cm	70 cm
24v 150w Halogen	24v 150w Halogen	24v 150w Halogen
Main 1 Spare 2	Main 1 Spare 2	Main 1 Spare 2
183 cm Or by order	movement	198 cm Or by orde
105 cm	105 cm	105 cm
AC100 ~ 260V	AC100 ~ 260V	AC100 ~ 260V

## Examination Lamp

### AL-200S

**Feature:**

- With 5 wheels mobile
- Lamp-head elevation from 118 ~ 168 cm
- Lamp-head could be rotated 270 degree, and trend 90
- 142mm optical reflector, with superior glass filter (Dia.162 mm) to offer cool light beam.
- Alumina shell as a good heat sink.
- PC front cover
- Control box with switch, and dimmer control
- Intensity around 40,000lux in 1M (0 ~ 40,000non-scale adjustment)
- Color temperature: 4000°K (±10%)
- Halogen bulb: 24V 55W (made from Germany)



### AL-101S

**Feature:**

- Easy operation.
- Economy type.
- Halogen lamps.

**Specification:**

- Bulb: 12V 35W, Beam angle 10°
- Intensity: 13,000°k (±10%)
- Color temp: 3500°k (±10%)
- Column Height: 92 cm
- Coil column length: 60 cm
- Power: AC 110V / or for order

